BSH Home Appliances Corporation
5551 McFadden Avenue, Huntington Beach, CA 92649
1.800.921.9622
www.boschappliances.com

BOSCH
Invented for life

The silent leader in dishwashing

2005 Dishwashers

Includes
DLX
SERIES

BOSCH
Invented for life

Printed on paper containing 50% total recycled fiber with 10% post-consumer waste.

©2005 BSH Home Appliances Corporation. All rights reserved. Bosch is a registered trademark of Robert Bosch GmbH.

All information presented herein is based on data available at the time of printing and is subject to change without notice.

For immediate critical installation dimensions by fax, use your handset and call 775-833-3600. Use Code #8317 for a directory of Bosch products.

Dishwasher Warranty: 1 year parts and labor, 2 years parts, 5 years on all electronic components (parts only), 5 years on racks (parts only), lifetime warranty against rust-through on tub. Certain limitations apply, see manufacturer's limited warranty for details.

Dealer Locator: 1-800-866-2022

SAP#2800000887
Litho Date: 6/2005

Accessories to fit your lifestyle.

Even when it comes to doing the dishes, we all have different needs. For instance, wine enthusiasts will have more glasses than plates on the dinner table, so they can fully indulge in their passion. For them, we have created a glass rack insert that can be placed on the bottom rack. No more of those extra glasses that need to be washed by hand when the upper rack is full. Door frames, door-frame kits and handles are also available, so you can dress up your dishwasher to match your taste and your kitchen environment.



SGZ1000UC

Extra-Large-Knife Rack
By loading long-handled items horizontally, you prevent chipping and scratching, while keeping knives in a safer position, out of unwanted reach.

SGZ2004UC

Glass Rack Insert
The extra space of the glass rack insert allows you to load additional stemware or drinking glasses, saving the upper rack for a more efficient configuration of dishes. (Can only be used with Premium and Mid lower racks.)



SGZ1005UC

SGZ1006UC

Door Accessories
Your choice of stylish handles allows you to complement the look of any kitchen.

(See specifications section for additional information.)

Integra Dishwashers

These dishwashers feature the clean, understated design that's so popular in today's modern kitchens, while offering the advanced technology, best-in-class features and nearly silent operation that Bosch is famous for.

Silence Rating	Racks
44-48 dB	Premium

800 Series

Model# SHX 99 Integra Vision

Performance	Convenience
• APE**XX**™ Wash System • 9 Wash Cycles • **POWER**BOOST™ Wash Option	• **ONE**TOUCH™ PLUS • Top-Rack Only • 24 Hour Delay Start • Pre-Soak Wash Option • **PERFECT**DOOR™ w/**AUTO**CLOSE™ • Extra Tall Item Sprinkler

Model# SHX 57

Performance	Convenience
• E**XX**ACT™ Wash System • 5 Wash Cycles • **POWER**BOOST Wash Option	• **ONE**TOUCH • Top-Rack Only • 19 Hour Delay Start • Pre-Soak Wash Option • **PERFECT**DOOR w/**AUTO**CLOSE • Extra Tall Item Sprinkler

Silence Rating	Racks
49-53 dB	Mid

500 Series

Model# SHX 56

Performance	Convenience
• **SENSO**TRONIC™ Wash System • 5 Wash Cycles	• **ONE**TOUCH • Top-Rack Only • 19 Hour Delay Start • **PERFECT**DOOR w/**AUTO**CLOSE • Extra Tall Item Sprinkler

Model# SHX 46, SHX 46L (DLX)

Performance	Convenience
• **SENSO**TRONIC Wash System • 4 Wash Cycles	• Top-Rack Only • 19 Hour Delay Start • **PERFECT**DOOR w/**AUTO**CLOSE • Extra Tall Item Sprinkler

Silence Rating	Racks
54-56 dB	Standard

300 Series

Model# SHX 43, SHX 33, SHX 36L (DLX)

Performance	Convenience
• **SENSO**TRONIC Wash System • ≥ 3 Wash Cycles	• **PERFECT**DOOR w/**AUTO**CLOSE • Extra Tall Item Sprinkler

Stainless Steel

Black

White

Biscuit

SHX/SHV Dimensions:



' Maximum height of 36" possible with toe-kick from cabinet supplier.

SHV Installation
Panel dimensions – integrated models. The height and width of the panel door will equal the height and width of a single door for a 24" base cabinet front (door and drawer head). For custom-made panels and framed cabinet styles, a 23-3/8" width is recommended.

SHV
Panel thickness 3/4".
Panel weight: min. 9 lbs. – max. 21 lbs. Toe-kick height can range from 4" to 7".

IMPORTANT: Handles are not supplied with dishwasher.

ONE-PIECE CABINET PANEL INSTALLATION
The minimum height for the one-piece cabinet panel is 27-1/4". The maximum height for the one-piece cabinet panel is identical to the height of the adjacent cabinet front from the bottom of the countertop to the bottom of the cabinet door. (Leave 1/4" space between countertop and dishwasher.)

TWO-PIECE CABINET PANEL INSTALLATION
The minimum height for the drawer head panel is 3". The maximum height for the drawer head panel is identical to the height of the adjacent cabinet drawer head height. The minimum combined height for the lower door panel and the upper drawer head panel is 27-1/4".

The maximum combined height for the lower door panel and drawer head panel is identical to the height of the adjacent cabinet front from the bottom of the countertop to the bottom of the cabinet door. (Leave 1/4" space between countertop and dishwasher.)

Note: SHX models do not accept custom panels.

Dimensions for planning only. For details, see installation manual, or visit www.boschappliances.com. Specifications subject to change without notice.

Additional Accessories	Number
Extra-Large-Knife Rack	SGZ 1000 UC
Stainless Steel Handle (SHV series only) Matches HBL/N 500 & 700 Series Ovens	SGZ 1007 UC
Glass Rack Insert for Bottom Racks (max. height 13.5") Can be used in Premium and Mid Lower Racks only	SGZ 2004 UC
Stainless Steel Door with Stainless Steel Handle (SHV series only) Handle Matches HBL/N 500 & 700 Series Ovens	SGZ 1006
Stainless Steel Door with Stainless Steel Handle (SHV series only) Handle Matches Discontinued HBL/N 600 Series Ovens	SGZ 1005

Integra Specifications

	800 Series		500 Series			300 Series		
Model Numbers	**SHX99A1..Integra Vision** **SHV99A1..**(fully integrated)	**SHX57C0..**** **SHV57C0..**(fully integrated)**	**SHX56C0..**** **SHV56C0..**(fully integrated)**	**SHX46L**	**SHX46A0..** **SHV46C1..**(fully integrated)**	**SHX36L00**	**SHX43C0..****	**SHX33A0..**
Product Series	Integra 800 Series	Integra 800 Series	Integra 500 Series	Integra 500 Series DLX	Integra 500 Series	Integra 300 Series DLX	Integra 300 Series	Integra 300 Series
Colors Available	SS/FI	B/W/SS/FI	B/W/SS/FI	B/W/SS	B/W/SS/BIS/FI	B/W/SS	B/W/SS	B/W/SS
Core Features								
Stainless Steel **TALL**TUB™	•	•	•	•	•	•	•	•
Two-Pump Motor System	•	•	•	•	•	•	•	•
Suspension Motor™	•	•	•	•	•	•	•	•
Triple Filtration System	•	•	•	•	•	•	•	•
Flow-Through Water Heater™	•	•	•	•	•	•	•	•
Five-Level Wash	•	•	•	•	•	•	•	•
Condensation Drying	•	•	•	•	•	•	•	•
Extra Tall Item Sprinkler	•	•	•	•	•	•	•	•
Nylon Coated Racks	•	•	•	•	•	•	•	•
NSF Certified Units and Cycles	•	•	•	•	•	•	•	•
Electronic Controls	•	•	•	•	•	•	•	•
Energy Star Qualified	•	•	•	•	•	•	•	•
Silence Rating								
dB	44dB	46 dB	49dB	50dB	50dB	54dB	54dB	54dB
Automation								
Washing	**ONE**TOUCH™ PLUS	**ONE**TOUCH	**ONE**TOUCH					
Drying	**OPTI**DRY™	**OPTI**DRY	**OPTI**DRY					
Wash Cycles	9	5	5	4	4	3	4	3
Power Scrub Plus (161ºF)*		•	•	•	•	•	•	•
Scrub Wash (150ºF)*								
Regular Wash (140ºF)*	•	•	•	•	•	•	•	•
Auto Wash (**SENSO**TRONIC™) (120º/135ºF)*		•	•					
Delicate/Economy Wash (120ºF)*				•	•		•	
Quick Wash (104ºF)*		•	•					
PARTYWASH™	•							
Rinse & Hold	•	•	•	•	•	•	•	•
Auto Super Wash (APE**XX**™) (150º/161ºF)*	•							
Auto Wash (APE**XX**) (120º/135ºF)*	•							
Auto Delicate Wash (APE**XX**) (110º/120ºF)*	•							
Extreme Wash (161ºF)*	•							
Glass Care (120ºF)*	•							
Enviro Wash (120ºF)*	•							
Wash Options	1	2	1	1	1	1		
Top Rack Only™		•	•	•	•	•		
Pre-Soak		•						
POWERBOOST™	•							
Delay Start	24 Hours	19 Hours	19 Hours	19 Hours				
Wash System	APE**XX**	E**XX**ACT™ WASH	**SENSO**TRONIC	**SENSO**TRONIC	**SENSO**TRONIC	**SENSO**TRONIC	**SENSO**TRONIC	**SENSO**TRONIC
SENSOTRONIC	•	•	•	•	•	•	•	•
SENSOTRONIC^{2TM}	•							
Flow-Control™	•	•						
Upper Rack	Premium	Premium	Mid	**EASY**LOAD™ Mid	Mid	**EASY**LOAD Std	Standard	Standard
Adjustability	**RACK**MATIC™	**RACK**MATIC	Manual	Manual	Manual	Manual		
Flip Tines	4 Half Flip-Down Rows	4 Half Flip-Down Rows	2 Half Flip-Down Rows	2 Half Flip-Down Rows	2 Half Flip-Down Rows		1 Half Flip-Down Row	1 Half Flip-Down Row
Cup Shelf	2	2	2	2	2	2		
Fine Cutlery and Silver Tray	•	•						
Lower Rack	Premium	Premium	Mid	**EASY**LOAD Mid	Mid	**EASY**LOAD Std	Standard	Standard
Flip Tines	8 Half Flip-Down Rows	8 Half Flip-Down Rows	4 Half Flip-Down Rows	4 Half Flip-Down Rows	4 Half Flip-Down Rows			
Silverware Basket	Flexible	Flexible	Flexible	Flexible	Flexible	Standard	Standard	Standard
Silverware Basket Cover	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Mezzanine Rack	•	•						
Display								
LED					•	•	•	•
Multi-Function LED		•	•	•				
Multi-Function Text LCD Display (Top)	•							
Remaining Time	•	•	•	•				
Program Sequence Indicator								
Program Status Light (**INFO**LIGHT™)	•	•						
Sanitized Indicator Light	•	•	•	•	•	•	•	•
Rinse Aid Indicator Light	•	•	•	•	•	•	•	•
Other								
PERFECTDOOR™	w/**AUTO**CLOSE™	w/**AUTO**CLOSE	w/**AUTO**CLOSE	w/**AUTO**CLOSE	w/**AUTO**CLOSE	w/**AUTO**CLOSE	w/**AUTO**CLOSE	w/**AUTO**CLOSE
CHILDLOCK™								
End of Cycle Sound	•	•	•	•	•	•	•	•

B – Black, W – White, BIS – Biscuit, SS – Stainless Steel, FI – Fully Integrated
* NSF Certified
** Available August 2005

Evolution Dishwashers

Silence Rating	Racks
44-48 dB	Premium

800 Series

Model# SHE 99

Performance	Convenience
• APE**XX**™ Wash System • 9 Wash Cycles • **POWER**BOOST™ Wash Option	• **ONE**TOUCH™ PLUS • 24 Hour Delay Start • **PERFECT**DOOR™ w/**AUTO**CLOSE™ • Extra Tall Item Sprinkler

Model# SHE 66

Performance	Convenience
• E**XX**ACT™ Wash System • 6 Wash Cycles	• **ONE**TOUCH • Top Rack Only™ • 19 Hour Delay Start • Pre-Soak Wash Option • **PERFECT**DOOR w/**AUTO**CLOSE • Extra Tall Item Sprinkler

Model# SHY 56

Performance	Convenience
• E**XX**ACT Wash System • 5 Wash Cycles	• 19 Hour Delay Start • **PERFECT**DOOR w/**AUTO**CLOSE • Extra Tall Item Sprinkler

Silence Rating	Racks
49-53 dB	Mid

500 Series

Model# SHE 47

Performance	Convenience
• **SENSO**TRONIC™ Wash System • 4 Wash Cycles	• **ONE**TOUCH • Top Rack Only • 24 Hour Delay Start • **PERFECT**DOOR w/**AUTO**CLOSE • Extra Tall Item Sprinkler

Model# SHE 56, SHE 44

Performance	Convenience
• **SENSO**TRONIC Wash System • ≥ 4 Wash Cycles	• **ONE**TOUCH • Top Rack Only • 19 Hour Delay Start • **PERFECT**DOOR w/**AUTO**CLOSE • Extra Tall Item Sprinkler

Silence Rating	Racks
54-56 dB	Standard

300 Series

Model# SHE 43, SHU 33, SHU 42L (DLX)

Performance	Convenience
• **SENSO**TRONIC Wash System • ≥ 3 Wash Cycles	• **PERFECT**DOOR w/**AUTO**CLOSE • Extra Tall Item Sprinkler

These all new designs feature controls on the outside for convenient access. Evolution dishwashers appeal to customers who prefer a classic design but still want the features and performance of a Bosch.

Stainless Steel
(SHE99 Model Shown)

Black
(SHE44 Model Shown)

White
(SHE44 Model Shown)

Biscuit
(SHE44 Model Shown)

SHE/SHY/SHU Dimensions:



† Maximum height of 36" possible with toe-kick from cabinet supplier.

SHU Installation
Door panel dimensions – built-in models (SHU series):
Panel width: 23-1/16" Panel thickness: 1/4"
Panel height for black, white and biscuit models only: 25"
Panel weight: maximum 11 lbs.

SHY Installation
Panel width: 23-1/16"
Panel thickness: 1/4"
Panel height for black, white and
biscuit models only: 25"
Panel weight: max 11 lbs.

Note: SHE/SHY models do not accept custom panels.

Dimensions for planning only. For details, see installation manual, or visit www.boschappliances.com. Specifications subject to change without notice.

Additional Accessories	Number
Extra Large Knife Rack	SGZ 1000 UC
Glass Rack Insert for Bottom Racks (max. height 13.5") Can be used in Premium and Mid Lower Racks only	SGZ 2004 UC

Evolution Specifications

The Nation's #1 Rated Dishwasher 6 Times in a Row

	800 Series			500 Series			300 Series			
Model Numbers	**SHE99C0..****	**SHE66C0..****	**SHY56A0..**	**SHE47C0..**	**SHE56C0..**	**SHE44C0..**	**SHU42L0**	**SHE43C0..**	**SHU33A0..**	**SHU66**
Product Series	Evolution 800 Series	Evolution 800 Series	Evolution 800 Series	Evolution 500 Series	Evolution 500 Series	Evolution 500 Series	Evolution 300 Series DLX	Evolution 300 Series	Evolution 300 Series	
Control Height	2 in	2 in	2 in	3.5 in	3.5 in	3.5 in	4 in	6 in	6 in	6 in
Colors Available	SS	B/W/SS	B/W/SS	B/W/SS	B/W/SS	B/W/BIS/SS	B/W/SS	B/W/SS	B/W/BSS	B/W/BIS/SS
Core Features										
Stainless Steel **TALL**TUB™	•	•	•	•	•	•	•	•	•	•
Two-Pump Motor System	•	•	•	•	•	•	•	•	•	•
Suspension Motor™	•	•	•	•	•	•	•	•	•	•
Triple Filtration System	•	•	•	•	•	•	•	•	•	•
Flow-Through Water Heater™	•	•	•	•	•	•	•	•	•	•
Five-Level Wash	•	•	•	•	•	•	•	•	•	•
Condensation Drying	•	•	•	•	•	•	•	•	•	•
Extra Tall Item Sprinkler	•	•	•	•	•	•	•	•	•	•
Nylon Coated Racks	•	•	•	•	•	•	•	•	•	•
NSF Certified Units and Cycles	•	•	•	•	•	•	•	•	•	•
Electronic Controls	•	•	•	•	•	•	•	•	•	•
Energy Star Qualified	•	•	•	•	•	•	•	•	•	•
Silence Rating										
dB	44dB	46dB	48dB	50dB	52dB	53dB	56dB	56dB	56dB	48dB
Automation										
Washing	**ONE**TOUCH PLUS™	**ONE**TOUCH		**ONE**TOUCH	**ONE**TOUCH					
Drying	**OPTI**DRY™	**OPTI**DRY		**OPTI**DRY	**OPTI**DRY	**OPTI**DRY				
Wash Cycles	9	6	5	4	5	4	4	4	3	6
Power Scrub Plus (161ºF)*		•	•	•	•	•	•	•	•	•
Scrub Wash (150ºF)*										•
Regular Wash (140ºF)*	•	•	•	•	•	•	•	•	•	•
Auto Wash (**SENSO**TRONIC) (120º/135ºF)*		•		•	•					
Delicate/Economy Wash (120ºF)*		•	•				•	•		•
Quick Wash (104ºF)*		•	•	•	•	•				•
PARTYWASH™	•									
Rinse & Hold	•	•	•		•	•	•	•	•	•
Auto Super Wash (APE**XX**™) (150º/161ºF)*	•									
Auto Wash (APE**XX**) (120º/135ºF)*	•									
Auto Delicate Wash (APE**XX**) (110º/120ºF)*	•									
Extreme Wash (161ºF)*	•									
Glass Care (120ºF)*	•									
Enviro Wash (120ºF)*	•									
Wash Options	1	2	1	1						2
Top Rack Only™		•		•						•
Pre-Soak		•								
POWERBOOST™	•									
Delay Start	24 Hours	19 Hours	19 Hours	24 Hours	19 Hours					19 Hours
Optimizer			•							•
Wash System	APE**XX**	E**XX**ACT™ WASH	E**XX**ACT WASH	**SENSO**TRONIC	**SENSO**TRONIC	**SENSO**TRONIC	**SENSO**TRONIC	**SENSO**TRONIC	**SENSO**TRONIC	**SENSO**TRONIC
SENSOTRONIC		•	•	•	•	•	•	•	•	•
SENSOTRONIC^{2}™	•									
Flow-Control™	•	•	•							
Upper Rack	Premium	Premium	Premium	Mid	Mid	Mid	**EASY**LOAD Std	Standard	Standard	Premium
Adjustability	**RACK**MATIC™	**RACK**MATIC	**RACK**MATIC	Manual	Manual	Manual	Manual			**RACK**MATIC
Flip Tines	4 Half Flip-Down Rows	4 Half Flip-Down Rows	4 Half Flip-Down Rows	2 Half Flip-Down Rows	2 Half Flip-Down Rows	2 Half Flip-Down Rows		1 Half Flip-Down Row	1 Half Flip-Down Row	4 Half Flip-Down Rows
Cup Shelf	2	2	2	2	2	2	2			2
Lower Rack	Premium	Premium	Mid	Mid	Mid	Standard	**EASY**LOAD Std	Standard	Standard	Mid
Flip Tines	8 Half Flip-Down Rows	8 Half Flip-Down Rows	4 Half Flip-Down Rows	4 Half Flip-Down Rows	4 Half Flip-Down Rows					4 Half Flip-Down Rows
Silverware Basket	Flexible	Flexible	Flexible	Flexible	Flexible	Standard	Standard	Standard	Standard	Flexible
Silverware Basket Cover	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Mezzanine Rack	•	•								
Display										
LED							•	•	•	•
Multi-Function LED		•	•	•	•	•				
Multi-Function Text LCD Display (Top)	•									
Multi-Function Text LCD Display (Front)	•									•
Remaining Time	•	•	•	•	•	•				
Program Sequence Indicator	•	•	•	•						
Program Status Light (**INFO**LIGHT™)										
Sanitized Indicator Light	•	•	•	•	•	•	•	•	•	•
Rinse Aid Indicator Light	•	•	•	•	•	•	•	•	•	•
Other										
PERFECTDOOR™	w/**AUTO**CLOSE™	w/**AUTO**CLOSE	w/**AUTO**CLOSE	w/**AUTO**CLOSE	w/**AUTO**CLOSE	w/**AUTO**CLOSE	w/**AUTO**CLOSE	w/**AUTO**CLOSE	w/**AUTO**CLOSE	w/**AUTO**CLOSE
CHILDLOCK™	•	•		•						
End of Cycle Sound										

B – Black, W – White, BIS – Biscuit, SS – Stainless Steel, BSS – Black Control Panel with Stainless Steel Door
* NSF Certified
** Available August 2005



Quiet. Powerful. Smart.

Welcome to the Bosch dishwasher experience.

Integra Dishwashers Page 19
Evolution Dishwashers Page 23

Can a dishwasher make your house a **better** place to live?

Absolutely, if it’s a Bosch. Bosch dishwashers are the only ones to offer the unique combination of nearly silent operation, powerful features that leave dishes sparkling, intelligent functions that work around your lifestyle and an efficient operation that saves both water and electricity. All wrapped in a contemporary design that’s as beautiful as it is functional. **Invented for life.**

Performance, as in superior.

First and foremost, a dishwasher needs to get your dishes clean. Really clean. Bosch dishwashers are engineered to perform at the highest levels, to spotlessly remove even the toughest soiling. Think baked-in spinach. At the same time, smart technologies ensure that Bosch power is directed in a way that smartly manages energy and water consumption, and protects delicate items, preserving their brilliant shine wash after wash, year after year.

SENSOTRONIC™ Wash. **SENSO**TRONIC Wash uses an advanced scanning-eye sensor to literally look at the level of soil in the wash water. It then determines if a secondary, fresh water fill is necessary, deleting the cycle when appropriate. This saves time and money while cutting energy usage by up to 20%. Available in all models.

E**XX**ACT™ Wash. Our advanced E**XX**ACT Wash system brings all the benefits of **SENSO**TRONIC Wash with the added efficiency of Flow-Control. With upper and lower spray arms able to work simultaneously or independently of one another, it allows for a thorough wash that saves energy and water.

APE**XX**™ Wash delivers the most powerful, efficient clean available. Combining **SENSO**TRONIC and E**XX**ACT Wash's flow-control with two additional sensing systems, APE**XX** virtually assures that your dishes get the exact treatment they need, producing brilliant results every time. APE**XX** uses the advanced **SENSO**TRONIC^{2}™ particle scanner and adds an ingenious load sensing system that can detect how many dishes you're washing and continuously adjusts itself according to load size and soiling level.



Specialty Wash Cycles
Auto Super Wash, **AUTO**WASH™ and Auto Delicate Wash allow you to customize your wash to your dishes – so your machine will never confuse your good china with your everyday dishes.

AUTOWASH
This amazing cycle takes the guesswork out of dishwasher programming by using our **SENSO**TRONIC scanning eye to automatically measure how dirty the dishes are, then optimizing water temperature and wash cycle time to clean dishes as quickly as possible while minimizing water and energy usage.

PARTYWASH™
Our fastest cycle yet, it keeps the party going smoothly, allowing you to wash six place settings in approximately 30 minutes. Perfect for entertaining.

Cleaning efficiency **meets** energy efficiency.

Cleaning with a conscience. That's what Bosch dishwashers do. With advanced **SENSO**TRONIC™ and **SENSO**TRONIC^{2}™ technologies that measure soil level and adapt water consumption and heat as needed, these machines are energy-efficiency minded. Also, the cavities of our dishwashers are made of stainless steel which, besides looking very sleek, makes drying more efficient. Your dishes benefit from it, and so does the environment. Select models even feature a Top Rack Only™ wash option, further reducing energy and water waste.

Energy Star and NSF Certified
Proving once again that Bosch is committed to efficiency, all of our dishwashers are Energy Star rated. They also boast NSF certification for 9 out of 12 wash cycles, ensuring your dishes are 99.99% bacteria free at the end of each cycle.

SENSOTRONIC
An advanced scanning eye examines the level of soil in the wash water and automatically deletes a secondary fresh-water fill if not needed, saving you time and money while cutting energy usage by 20%. An industry exclusive, **SENSO**TRONIC^{2} adds a second sensor that examines the levels of particles in the water and adjusts the water temperature and length of your wash cycle for optimal results every time.

Optional Top Rack Only Wash
On those occasions when you have fewer dishes to wash, save water and energy by using the Top Rack Only wash cycle. Capable of holding your largest plates and glasses (up to 10"), it gives you the same powerful clean while reducing water usage by 30%.

Optional Delay Start
With a nineteen or twenty-four hour timer, Bosch dishwashers work on your schedule. Program them to start once guests leave or after you've drifted off to sleep. Wait until you're out of the house, or even run it during the evening, potentially saving money on your energy bill.

Optional Pre-Soak
This optional function soaks dishes before the main wash cycle to loosed residue, for beautifully clean dishes, even with heavily soiled loads.



Flow-Through Water Heater™
In traditional heating elements, water falls randomly onto a coil, which warms it inefficiently and creates a hazard. By passing it through a heating chamber instead, Bosch allows the water to reach temperatures of up to 161ºF safely and quickly. This means you can place plastic items in the bottom rack without fear of melting or damage.

Condensation Drying
Unlike other drying systems that use unclean air from the kitchen's back wall, Bosch uses the residual heat from the warm water inside its tub. A sanitizing temperature of 161ºF leaves residual heat in the tub, creating condensation along the cooler wall. The condensation is then drained so you'll never have to release steam into the kitchen.



Automation. It could not be simpler.

At Bosch, our commitment is to enhance your quality of life, by making your household chores as simple and hands-off as they can be. So it is only appropriate that we would be leading the way in making dishwashers fully automatic. One touch is all it takes and our top of the line models automatically sense the level of soiling, the size of your load and the cleaning progress made throughout the wash process. They analyze the results and continuously adjust water temperature, duration of the wash cycle and even the amount of water used.

ONETOUCH™
Simply select the **AUTO**WASH™ program and the dishwasher uses its **SENSO**TRONIC™ scanning eye to analyze the soil level of your dishes and adjust the wash temperature between 130 and 150 degrees. Analyzing the clarity of the wash water, the sensor system also determines whether or not a second fresh water cycle is needed, ensuring your dishes get clean while avoiding unnecessary refills to conserve water – the earth's most precious resource.

ONETOUCH PLUS
The ultimate in dishwashing automation, **ONE**TOUCH PLUS increases the temperature adjustability beyond the 130-150 degree range and adds an additional particle scanner (**SENSO**TRONIC^{2}™) for even more precise scanning and continuous adjustment throughout the wash cycle. It even adds a unique load sensing system that detects the size of your load and adjusts accordingly. It also features the Auto Super Wash and Auto Delicate Wash cycles to allow for more extreme conditions.

OPTIDRY™
Multiple sensors automatically detect the presence of a rinse agent and measure the level in the dispenser, automatically adjusting the final temperature and wash cycle for spotless drying results with each wash.

Load Sensor
Bosch dishwashers automatically measure the number and type of dishes in each load, adjusting water temperature and cycle time to achieve perfect results while minimizing water and energy usage.

Integra Line (shown with accessory handle SGZ1005UC)



Integra Line

CLEARTOUCH™
With this exclusive design, all cycles are readily accessible through a smooth, flush control panel that is as easy to clean as it is to operate.

Convenience is of the essence.

Everything has been thought of with Bosch dishwashers. Like having an adjustable top rack, which allows you to safely put in tall stemware without having to lay them flat. With our **TALL**TUB,™ we've created more interior room, maximizing use of space, so you can place dinner plates in both top and bottom racks. And should you want to make your dishwasher invisible, you can customize it. Integrated controls on the upper door rim allow you to seamlessly blend your dishwasher with your cabinetry, giving you an uninterrupted kitchen design.

Silverware Basket
Available with select packages, the flexible silverware basket can be separated in two and placed anywhere inside, like on the top rack when using the Top Rack Only Wash option. Our standard model keeps silverware free from tangles with a flip-up lid that separates utensils, ensuring the most perfect of clean.

AQUASTOP™
Leaks are contained before they ever touch the floor with this Bosch exclusive. It monitors the level of water in the base of the machine and automatically shuts down operation in the highly unlikely event of a leak.

CHILDLOCK™
This simple device, once activated, prevents children from opening the dishwasher door while allowing easy access for adults.

PERFECTDOOR™
Falling dishwasher doors are finally a thing of the past. All Bosch dishwashers feature **PERFECT**DOOR, which stays in a fixed position whenever it is opened more than 10°.

AUTOCLOSE™
This ingenious design automatically closes the dishwasher door in a smooth, silent motion once it is less than 10° from vertical, without any user intervention.

Platinum Premium Upper Rack
With the ability to raise or lower our premium upper rack at the touch of a lever (even when full), **RACK**MATIC™ gives you up to 14" of space on the bottom or 10" on top. To accommodate your washing needs, there are four rows of adjustable flip-down tines. A five-year warranty allows for safe, effective washes now and in the future.

Platinum Premium Lower Rack
The fully removable premium lower rack is coated with platinum nylon to prevent nicks and scratches on your favorite dishware. Eight rows of flip-down tines allow the layout to be customized for the most efficient use of space, while the flexible silverware basket can be split in two and placed anywhere.

Extra Tall Item Sprinkler
Handwashing large items becomes a thing of the past thanks to this handy innovation. Simply remove the top rack and place your serving platters, baking trays, hood filters and refrigerator shelves up to 22" high in the bottom rack. Start the machine and the sprinkler evenly distributes water across every large item, for sparkling-clean results every time.

Stainless Steel TALLTUB
Simply put, the Bosch **TALL**TUB provides you with an extremely efficient use of space. Top and bottom racks can be adjusted for improved clearance, and if you remove the top rack altogether, you're left with an incredible 22" of usable space. It doesn't get bigger than that.